



# SUSTAINABLE RADIATION **ENERGY SOLUTIONS**

SAY NO TO HIGH EMF & DIRTY ELECTRICITY


  
Balance Studio  
THE KEY TO HEALING



## **ABOUT BALANCE 1 STUDIO CONSULTANCY RADIATION SOLUTION**

---

NON-IONIZING  
ELECTROMAGNETIC  
SHIELDING ALTERNATIVES  
SOLUTIONS



## OUR **EXPERTISE**

ITS CORE EXPERTISE IS IN THE FIELD OF ELECTROMAGNETIC RADIATION MEASUREMENT (EMITTED FROM MOBILE TOWERS) AND RADIATION SHIELDING SOLUTIONS  
ELECTROMAGNETIC RADIATION COMES FROM ALL THE ELECTRICAL AND ELECTRONIC APPLIANCES, FM AND TV TOWERS, MOBILE PHONES A MOBILE PHONES TOWERS, WI-FI ROUTERS SOLAR PANEL OR HYDRO ELECTRICITY ETC.

# WHAT IS **RADIATION** AND HOW IS IT **AFFECTING US ?**

RADIATION IS ENERGY THAT COMES FROM A SOURCE AND TRAVELS THROUGH SPACE AND MAY BE ABLE TO PENETRATE VARIOUS MATERIALS.

BROADLY SPEAKING, RADIATION IS A WAY IN WHICH ENERGY MOVES FROM ONE PLACE TO ANOTHER.


RADIATION IS CATEGORIZED AS IONIZING & NON-IONIZING




# MOST **COMMON** COMPLAINTS



SLEEP  
DISRUPTION



CARDIOVASCULAR  
PROBLEMS



HEADACHES



DEPRESSION




FATIGUE



CONCENTRATION  
LOSS



MEMORY  
LOSS



DIZZINESS



BUZZING IN  
HEAD



ALTERED  
REFLEXES

# WORLD HEALTH ORGANIZATION SAYS

USE OF CELL PHONES AND WIRELESS TECHNOLOGY CAN INCREASE CANCER RISK NOW, WHO/IARC MAY CLASSIFY RF RADIATION FROM WIRELESS TECH. AS A "GROUP 1 CARCINOGENIC TO HUMAN" AGENT.

THE DECLARATION IS BASED ON SCIENTIFIC EVIDENCE ASSOCIATING RF EXPOSURE TO CANCER DEVELOPMENT AND CANCER PROMOTION, ACCORDING TO THE REPORT POSTED BY SBWIRE. EARLIER ON 31ST MAY, 2011, INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC), A PART OF WHO DESIGNATES CELL PHONES AS "POSSIBLE HUMAN CARCINOGEN" [CLASS 2B]



World Health Organization

# WHO **EMF** CONTROL CAMPAIGN

CONTROL  
REDUCE EMF  
USAGE

The poster is a composite image. At the top left is the WHO logo and name. The main title 'The International EMF Project' is in large, bold letters. Below it, the text describes the project's goals: 'investigates health effects of electromagnetic fields' and 'advises national authorities on EMF radiation protection'. The central part of the poster features a spectrum diagram with labels for 'STATIC', 'INTERMEDIATE FREQUENCIES', 'EXTREMELY LOW FREQUENCIES', and 'RADIO FREQUENCIES'. The diagram includes a rainbow spectrum and a frequency scale from 0 Hz to 10<sup>24</sup> Hz. Images of a train, a person with a flashlight, and a woman on a mobile phone are also present. The WHO logo is repeated in the bottom right corner of the poster.

World Health Organization

## The International EMF Project

investigates health effects of electromagnetic fields

advises national authorities on EMF radiation protection

### THE SPECTRUM

People all over the world are exposed to electromagnetic fields (EMF) to varying degrees, and the levels of exposure will increase as technology advances further. These EMF are found in the non-ionizing part of the electromagnetic spectrum (between 0 and 300 GHz) and are emitted from common sources such as power lines and cellular phones. They are different to ionizing radiations, such as X-rays and gamma rays, which have enough energy to break molecular bonds.

NON-IONIZING IONIZING

STATIC

INTERMEDIATE FREQUENCIES

EXTREMELY LOW FREQUENCIES

RADIO FREQUENCIES

0 Hz 10<sup>1</sup> 10<sup>2</sup> 10<sup>3</sup> 10<sup>4</sup> 10<sup>5</sup> 10<sup>6</sup> 10<sup>7</sup> 10<sup>8</sup> 10<sup>9</sup> 10<sup>10</sup> 10<sup>11</sup> 10<sup>12</sup> 10<sup>13</sup> 10<sup>14</sup> 10<sup>15</sup> 10<sup>16</sup> 10<sup>17</sup> 10<sup>18</sup> 10<sup>19</sup> 10<sup>20</sup> 10<sup>21</sup> 10<sup>22</sup> 10<sup>23</sup> 10<sup>24</sup> Hz

www.who.int/emf/


# UNITED NATIONS SD GOALS **WE SUPPORT**

- GOOD HEALTH AND WELL BEING
- QUALITY EDUCATION
- SUSTAINABLE INFRASTRUCTURE
- RESPONSIBLE CONSUMPTION & PRODUCTION
- PARTNERSHIPS

## SUSTAINABLE DEVELOPMENT **GOALS**



UNITED NATIONS SUSTAINABLE  
DEVELOPMENT GOALS






HEALTHY **BUILDING** AND HEALTHY **PEOPLE**

VISION  
2021

الإمارات العربية المتحدة  
UNITED ARAB EMIRATES



UAE VISION 2021  
SUSTAINABLE ENVIRONMENT &  
INFRASTRUCTURE



# WHAT ARE THE **WORLD WIDE NORMS ?**

## EXPOSURE GUIDELINES MAGNETIC FIELDS

WHO
3 - 4 mG 300 - 400 nT


WHO	SLIGHT CONCERN	SEVERE CONCERN	EXTREME CONCERN
BUILDING BIOLOGY	0.2 - 1 mG 20 - 100 nT	1 - 5 mG 100 - 500 nT	> 5 mG > 500 nT

## EXPOSURE GUIDELINES ELECTRIC FIELDS

WHO	BEDROOM
ON BODY	LESS THAN 30 V/m


WHO	SLIGHT CONCERN	SEVERE CONCERN	EXTREME CONCERN
BODY VOLTAGE FIELD STRENGTH POTENTIAL FREE	10 - 100 mV 0.3 - 1.5 V/m	100 - 1000 mV 1.5 - 10 V/m	> 1000 mV > 10 V/m

# MAN - MADE RADIATION




# RF RADIATION FROM PERSONAL DEVICES





**RF RADIATION** FROM PERSONAL DEVICES

# DIRTY ELECTRICITY



**DIRTY**

ELECTRICITY

DEVICES WITH 'SWITCH-MODE POWER  
SUPPLY' SMART METERS SOLAR PANEL  
INVERTORS ENERGY SAVER LIGHTS WIND  
FARMS



DEALING WITH **EMF**

**WHERE WE CAN IMPROVE**

AVOIDANCE

ELIMINATION

SHEILDING



# SOURCE OF **EMF – AVOIDANCE**

## WHERE WE CAN **IMPROVE**

- APPLIANCES PRODUCING EMF
- WI-FI ENABLED DEVICES
- TV
- HI-FI EQUIPMENT
- COMPUTERS
- GAME CONSOLES, ALSO WHEN ASLEEP
- MODEM/ROUTER (WI-FI ON/OFF SWITCH)
- MOBILE PHONES
- SECURITY CAMERAS
- BABY MONITORS
- DEVICES USING A SWITCH MODE POWER SUPPLY (CAUSE DIRTY ELECTRICITY)
- ELECTRICAL SYSTEMS
- WIND POWER
- SOLAR PANELS
- INVERTORS
- POORLY WIRED METER / SWITCH BOARDS
- POORLY WIRED HOME (WIRING ERRORS)
- WIRING FAULTS IN THE NEIGHBORHOOD
- SMART METER

# DEALING WITH **EMF - SHIELDING**

## WHERE WE CAN **IMPROVE**

### SHIELDING APPROACHES INCLUDE

- RF SHIELDING
- SHIELDING PAINT
- SHIELDING FABRIC
- SHIELDING MESH
- ELECTRIC FIELD SHIELDING
- MAGNETIC FIELD SHIELDING — MU METAL
- DIRTY ELECTRICITY FILTERS
- ELECTRICAL SYSTEMS
- WIND POWER
- SOLAR PANELS INVERTORS
- POORLY WIRED METER / SWITCH BOARDS
- POORLY WIRED HOME (WIRING ERRORS)
- WIRING FAULTS IN THE NEIGHBORHOOD
- SMART METER

# LIVE REAL TIME – SITE ASSESSMENT

## WHERE WE OFFER

- HEALTHY BODY ASSESSMENT BY ELECTRON PHOTON IMAGING → • MEASURING STRESS AND BODY ENERGY
- ENVIRONMENT ANALYSIS → • MEASURING STRESS AND ENERGY OF ANY PREMISES
- ELECTRIC FIELDS → • DEVICES TO SCAN AND MEASURE
- MAGNETIC FIELDS → • DEVICES TO SCAN AND MEASURE
- DIRTY ELECTRICITY → • SOLAR PANEL INSTALLATION SITES INSPECTIONS
- RF RADIATION → • DEVICES TO SCAN AND MEASURE
- STATIC CHARGES ON MATTRESS OR BED ROOM → • DEVICES TO SCAN AND MEASURE
- HEALTH CONCERNS → • DEVICES TO SCAN AND MEASURE

# WHATS **PROBLEM**, WHATS **SOLUTION** IN **BUILDING**

## WHERE WE **OFFER**

- |                              |   |  |
|------------------------------|---|--|
| • ELECTRIC FIELDS            | → | • SHIELDING PAINT ,SHIELDING FABRIC          |
| • MAGNETIC FIELDS            | → | • MOU METAL                                  |
| • DIRTY ELECTRICITY          | → | • GPA MESH,SHIELDING PAINT ,SHIELDING FABRIC |
| • RF RADIATION               | → | • CIRCUIT CUT-OFF SWITCHES                   |
| • STATIC CHARGES ON MATTRESS | → | • MATTRESS                                   |
| • STATIC MAGNETIC FIELDS     | → | • ELIMINATE SOURCE PROBLEM                   |
| • HEALTH CONCERNS            | → | • GEOPATHIC MATTRESS OR COMPLETE PREMISES    |

SOLUTIONS

# WORLD DEVELOPMENTS

POLICY	COUNTRY OR LOCATION
BAN ON MOBILE PHONE ADVERTISING TO CHILDREN	FRANCE, RUSSIA, BELGIUM
BAN THE SALE OF CHILDREN'S MOBILE PHONES BY LAW	ISRAEL, BELGIUM AND FRANCE
HAVE SAR LABELLING BY LAW	ISRAEL, RUSSIA, INDIA AND FRANCE (INCLUDING . BABY MONITORS), BELGIUM AND KOREA
PREFER WIRED OVER WI-FI/WLAN IN SCHOOLS AND/OR PRE-SCHOOLS	ISRAEL, AUSTRALIA, BAVARIA, SWITZERLAND, FRANKFURT, SALZBERG, FRANCE, COUNCIL OF EUROPE (RESOLUTION 1815)
USE LOWER EMISSION PHONES	SWITZERLAND, RUSSIA
BAN ON CHILDREN UNDER 2 USING ELECTRONIC DEVICES	TAIWAN (JAN 2015) PARENTS HELD RESPONSIBLE

# WORLD DEVELOPMENTS

**ELECTROHYPERSENSITIVITY (EHS) RECOGNISED  
AS DISABILITY IN FRANCE AND COMPENSATION  
PAYMENTS ARE FORCED TO BE PAID**



FIND OUT COURT PAPERS [HTTPS://EN.GEOVITAL.COM/ELEC-  
TROHYPERSENSITIVITY-EHS-RECOGNISED-AS-DISABILITY/](https://en.geovital.com/electrohypersensitivity-ehs-recognised-as-disability/)

# **WORLD** DEVELOPMENTS HOSPITALITY



**MARTINSPARK**

HOTEL ★★☆☆ DORNBIRN

**AUSTRALIAN HOTEL OFFERS RADIATION FREE ROOM**

Martinspark Hotel, Mozartstraße 2, AT- 6850 Dornbirn

JOIN **OUR MISSION**

## **RIGHT TO CLEAN ENERGY**

REDUCE THE CONSUMPTION OF EMF IN CITIES SO WE CAN  
SUPPORT POVERTY OF ELECTRICITY






JOIN OUR **MISSION**




I AM A  
**RAINBOW**



REDUCE THE CONSUMPTION OF EMF IN  
HOUSES & CHILDREN TO BALANCE THE  
FUTURE GENERATIONS



SUPPORT US TO SUPPORT YOU LETS US  
CREATE HEALTHY LIVES



## Circuit Cut-off Switch ONF 3

The GEOVITAL mains switch ONF3 is the successor of the popular GEVITAL Vitalklick network switch. Just like the vital click, the ONF 3 is an electronic device that can be used to monitor electric loads. But the ONF 3 is more modern and more powerful





## Circuit Cut-off Switch ONF 3

The easiest way to disconnect radiation-emitting walls  
The Geovital circuit cut-off switch is an electronic device that can be used to monitor and disconnect disturbing electrical wiring. When installed in the fuse box, this device disables the electrical circuit after electricity usage on that circuit has stopped. This eliminates the associated radiation of the otherwise live circuit wiring. The nervous system is thereby no longer burdened by constant radiation exposure, especially during sleep.

**IMPORTANT: Radiation assessment by a Geovital consultant is strongly recommended.**


To correctly identify the circuits which need guarding by a circuit cut-off switch, a bedroom radiation assessment and measurement protocol is needed. Please realize the importance of this, as otherwise the installation of circuit cut-off switches may be done purely at random by your electrician. It is not the job of the electrician to measure or identify the burdening circuits and neither do they know how; that is the job of your Geovital Geobiologist. Devices installed in the fuse box should be installed by a qualified electrician; this may also be an insurance requirement.


### Application

- Suitable for bedrooms, playrooms and lighting circuits.
- Cut-off action is activated when the last electricity-using appliance or light on the circuit is turned off. (e.g. a bedside lamp).
- The switch functionality is verifiable with the supplied check light placed in a power point on the same circuit.
- Power is instantly restored to the entire circuit when any electrical device on that circuit is turned on.

## Body-Shaped Combi Stretch Mattress

After the excellent results we have achieved with the stretch mattress for more than 30 years, we have decided to tackle a modified version of the stretch mattress for patients with shoulder problems, falling arms and hands, heel spurs and people with marked lumbar spine





**This is how the Kombi stretch-effect works:** The weight of the sleeper causes the slanted partitions to fold over. Consequently, there is a lengthening of the surface area (a stretching effect) towards the head and feet ends, generated in accordance with body weight. The objective is to bring the pressure in the spine into the negative with a **-0.8 to -1 kg traction**.

Based on Geovital's own research results, in most cases, a pain-free interval of about 48 hours is achieved; this is sufficient for normal everyday life.

After the outstanding results achieved with the Theravital stretch-effect mattress over the last twenty-five years, **Geovital decided to launch a variation of this successful mattress**. The aim was to provide more specialized support for patients suffering from shoulder problems, paresthesia (pins and needles) in hands and arms, heel spurs and Lumbar Spine Syndrome (lower back pain).

The emphasis was on providing **the most individualized relief and support zones possible**. After three years of research and testing, Geovital successfully developed a template system and the cutting-edge technology which enabled the mattress core to be shaped, not only two-dimensional, but **three-dimensional**.

Using this unique technology, each mattress is **manufactured by hand** to create a 'landscape' that fits the individual perfectly with shoulder and heel indentations, and built-in lumbar and spine support. Each patient or client receives **their own truly unique mattress** which is exactly right for them. The mattresses are made in Austria (Europe) with a gorgeous removable, washable cover, made from the highest quality material we can get from Tencel and are typically ready for shipping in one or two weeks.

The results over the last seven years have amazed our health professionals. Here is an excerpt from our own statistics:

**90% of patients with back issues are symptom free.**

**70% of patients with neurological deficits in the extremities found improvements.**

**30% of heart patients are symptom free, as pressure is taken off the heart meridian.**

**40% of patients no longer snore.**



## Radiation Protection Mats

Protection against earth radiation (water veins, grids, warping, ...)

With the Geovital radiation protection the problem of natural disturbing zones of the geology (water veins, warping, grids) can be solved easily and fast. This has proved to be the efficient system in the last 35 years




Protection against excesses of natural radiation – Geopathic Stress (water veins, fault lines, grid lines,)

With the Geovital 'geopathic stress' protection products the problem of natural health burdens (water veins, grid lines, tectonic disturbances...) is easily addressed. Our system has proven to be effective over the last 25 years.

Your protection starts with an assessment by a certified Geovital Geobiologist to determine which types of geopathic stress are present and their strengths. This information is documented and archived.

GEOVITAL does not offer geopathic stress solutions to clients without an assessment of the situation!

Shielding mats have a 3-month satisfaction guarantee, enabling mats to be trialled, and the mats can be returned if you don't think it helping you (conditions apply). There is a high satisfaction rating, with returns globally being only 2% annually and this is mainly in November and December.



## Protection against

Water veins

Fault lines

Tectonic disturbances

Hartmann lines

Curry lines

Particulars of the Shielding mats



## 'Therapie Pillow' for the neck



After experiencing the stretch-effect mattresses, patients quickly asked if those benefits could also be applied to a pillow. Many had complaints regarding their cervical spine (neck), as well as accompanying tension. The specialised section of the pillow produces a **slight stretching** of the cervical spine.

A **removable insert** regulates the distance between the head and mattress. This enables each user to adjust the pillow so it is just right for them.

The image shows the pillow with its cover and without – clearly showing the foam core and the removable insert beneath. Imagine the person's body extending to the left of the pillow, effectively placing the higher area of the pillow under the neck. This will cause the small panels to bend to the right (i.e. towards the head). **Material**

### Material

One of the major points of difference between Geovital mattresses and pillows compared to other products produced by those with little in-depth knowledge of human health, is the materials used. Many foams and even natural alternatives cause **intolerance issues** which is why Geovital developed its own foam to address this. This makes our pillows a great complement to any mattress, but a necessity for users of our mattresses so as to completely eliminate exposure to the usual materials which, in our opinion, patients/clients should not be exposed to in the first place.

### The Cover

Geovital pillow covers are special! They are made of a material called **TENCEL®**, which is suitable for people with skin and respiratory complaints, as tested by the University of Heidelberg in Germany. Made from cellulose fiber which feels great, is strong and is a renewable resource. It is also removable and washable!

You deserve a good pillow. Allow yourself to experience the Geovital difference!

## GEOVITAL T98, the shielding paint for protection against HF electromagnetic radiation

T98 is an electroconductive primer for shielding and dissipation from electromagnetic radiation. With 2-fold brushing of a surface, the shielding effect with respect to high-frequency radiation with a screen attenuation is up to 50 dB. This corresponds to an HF shielding effect of 99.999%.





## GEOVITAL T98, the shielding paint for protection against HF electromagnetic radiation

T98 is an electrically conductive primer for shielding against, and the leading away, of radiation. By applying two or three (5G is here now) coats on a surface, shielding effectiveness of 99.999% against high frequency radiation can be achieved. In technical language, this equates to a protective attenuation of up to 50dB, and this at frequencies of up to 10Ghz!!! Also showing exceptional performance to the highest level tested at the time, 20 Ghz! (You need performance at the higher frequencies where it matters most)

Shielding 1 wall or an area that does not result in a 'box' should be carefully considered. Firstly other sources of radiation can be penetrating the room from unprotected sides and be reflected in the surfaces that are shielded and are likely to produce disappointing absorption levels of RF in the body. Secondly, with sides left open, a change in the outside environment (new phone towers going up) can change the exposure inside dramatically without you knowing. Therefore regular assessments and testing of the body absorption of RF should be planned for.

## Radiofrequency (RF) Radiation / Microwaves / High Frequency

T98 shielding paint effectively functions as a mirror and bounces the RF radiation back. In our latest formula 15% of the RF is absorbed and so what is bounced back is less. The normal approach is to essentially create a box which provides protection from all sides and creates a much lower RF exposure inside.



## GPA shielding mesh provides effective protection against electronic pollution

GPA is a fibreglass mesh with metal woven through it that is coated in Geovital's electrically conductive T98 Alpha shielding paint.

GPA reduces electromagnetic high frequency (RF) radiation exposure in buildings from common sources like mobile phone towers, wi-fi, smart meters, cordless phones, radar, airport navigation systems, etc. It can also be used to shield against low frequency electric fields, often produced by internal wiring.

GPA can be applied on walls, ceilings and potentially, flooring:

- under timber cladding
- placed inside wall, ceiling and floor structures
- placed under carpet
- as reinforcement mesh in ETIC systems
- as reinforcement mesh in rendering

GPA provides effective shielding against electronic pollution. It can achieve a reduction of over 99% in the amount of high frequency (RF) radiation and reduces low-frequency electric fields dramatically (Tested by Prof. Pauli in the facility of the German Armed Forces, Munich). As well as being alkali resistant, it has high tensile strength.

### Application

Low frequency (LF) and high Frequency (HF) shielding

- Internal and external application
- As reinforcement mesh in ETIC systems
- As reinforcement mesh in rendering
- Under timber cladding
- Placed inside wall, ceiling and floor structures
- Placed under carpet
- For safety reasons, all surfaces must be grounded on the ground wire of the electrical system or by contact on a stripped section of central heating pipe (EU regulation) by a qualified electrician. We strongly recommend a 'grounding strip' (metal strapping) for this purpose.

## Therapy stretch mattress - Geovital mattresses electrically neutral

When roosting you will come across again and again on electrically conductive bedding materials. One of these disease makers are the currently popular box spring beds, which are nothing more than multi-layered spring mattresses. Even latex or so-called biohydraze can increase massive humidity in the can increase moisture these electrosmog problems. However, one does not want to sleep in an electric field all night, which massively disturbs the nervous system. GEOVITAL mattresses prevent this effect.





### The GEOVITAL natural health stretch-effect mattress *does something!*

It's like having your own physiotherapist. During 8 hours of sleep, it is working on you and bring relief to the spine and intervertebral discs. The movement of the slanted panels increases the flow of air and oxygen to the body

### Theravital is the mattress with amazing effectiveness


The problem of electrically conductive mattress materials was first brought to light in Geovital's research back in 1982. The effect of low and high frequency radiation was increased in most cases in mattresses made with metal spring systems, Latex, horse hair, memory foam, and silver threads as well as other materials.

The Academy was looking for suitable materials to recommend to patients so it carried out extensive testing in which more than 600 different mattress types were tested. To everyone's amazement there was no material in use that met the high standards of the Academy in terms of being anti-static, anti-allergenic, toxin-free, having low electrical conductivity and high air permeability.

Spurred on by these findings, new techniques were developed to obtain the desired and appropriate core material. This was later enhanced by the participation of orthopaedic surgeons in development of the stretch-effect feature – a simple mechanical action with the aim of providing relief to those patients who struggle with joint and back pain. A simple mechanical action would convert the pressure on the nerve tissue into a relief bringing traction. For the removable, washable cover, we use Tencel.

Research done in 1988, 1990 and 1991 showed a surprisingly high satisfaction rate in **improvement of joint and in back pain symptoms.**

Construction mats – built into flooring



Radiation shielding construction mats – protect the entire home

## EXPERT REPORT





**Ordered by:** GEOVITAL  
 Akademie für Geobiologie und Strahlenschutz  
 Unterwolfbühl 430  
 A-6934 Sulzberg

**Device under Test:** GEOVITAL GPA – Shielding Fabric

**Subject:** Measuring the shielding efficiency against electromagnetic waves from 100 MHz to 20 GHz

**Regulations:** IEEE 299-1997 and ASTM D-4935-89  
 (ASTM = American Society of Testing and Materials)

**Date of Measurements:** 18<sup>th</sup> of March 2010





## Certification







## Certificate of Registration

This is to certify that

### GEO GROUP

2nd Floor, Above Acme Properties, 183 Savitri Nagar, Near Shiv Mandir,  
New Delhi-110017, India

has been independently assessed by QRO  
and is compliant with the requirements of:

### OHSAS 18001:2007

### Occupational Health & Safety Management System

For the following scope of activities:

*Manufacturers and Traders of Anti-Radiation & Electromagnetic Gadget  
and Devices, Consultants for Energy and Electromagnetic Rectification  
Correction & Enhancers*

Date of Certification: 04<sup>th</sup> February 2016      2<sup>nd</sup> Surveillance audit Due: 03<sup>rd</sup> February 2018  
1<sup>st</sup> Surveillance Audit Due: 03<sup>rd</sup> February 2017      Certificate Expiry: 03<sup>rd</sup> February 2019

Certificate Number: 1040216051K



*Chamunda*  
Head of Certification

Validity of this certificate is subject to annual surveillance audits to be done successfully on or before 365 days from date of the audit.  
(In case if surveillance audit is not allowed to be conducted, this certificate shall be suspended/ withdrawn).

The Validity of this certificate can be verified at [www.qrocert.com](http://www.qrocert.com)

This certificate of registration remains the property of QRO Certification LLP, and shall be returned immediately upon request.  
QRO Certification LLP is accredited by UK Accrediting Forum Limited, UK ([www.ukaf.org.uk](http://www.ukaf.org.uk))  
5 Jupiter House, Calvea Park, Aldermaston, Reading Berkshire RG7 8NN UK

India Office: QRO Certification LLP  
B11, Aggarwal Modern Bazaar, C-83, Lawrence Road, Delhi-110059, India  
[info@qrocert.com](mailto:info@qrocert.com), website: [www.qrocert.com](http://www.qrocert.com)



## Accredited Certificate

Issued in cognisance of European Product Safety requirements 2001/95/EC  
for the following products:-

**All Anti-Radiation and Electromagnetic Energy Products & Devices  
(AIKYA, EASE, SANTIA, HUTA, GEO-ENGINEERS)**

Responsible Organisation:

### GEO GROUP at

2nd Floor, Above Acme Properties, 183 Savitri Nagar,  
Near Shiv Mandir, New Delhi-110017, India

and as per the declaration of the responsible organisation the above product meets the applicable safety  
standards requirements for:

1. Exposure limits specified in ANSI/IEEE Standard C95.1-1992 and test procedures specified in IEC61010-2000.
2. IEC61010 Test Protocol SA Biomedical Instrumentation Co. California.
3. Life Blood Cells Analysis conducted for the verification of the efficiency of the product.
4. Thermal Graphic Imaging Test.
5. Blood Cell Count Test.
6. Blood Cell Count Test (in vivo).
7. EMI Test.
8. Specific Absorption Rate Evaluation.
9. Life Blood Cell Analysis conducted for the verification of the efficiency of MISTY - Shield Product.

The detailed description of the review is presented in the nominated body final report: 1305/02

GEO GROUP is required to inform the Nominated Body of any Changes to the products design, its  
manufacturing environment and documentation. Changes may require re-audit and re-assessment on  
and/or to verify the validity of this certificate.

Failure to notify the Nominated Body of Changes to the design, its manufacturing environment or related  
technical documentation, may invalidate certificate. Audit and assessment will be conducted on a yearly basis  
and additionally at the discretion of the nominated body.

Certificate Number: UQ-4637

Validity of this certificate can be verified at [www.ukcertifications.co.uk/verify](http://www.ukcertifications.co.uk/verify)

Date of initial registration	04 <sup>th</sup> February 2016
Date of this Certificate	04 <sup>th</sup> February 2016
Certificate Expiry	03 <sup>rd</sup> February 2017
Recertification due (subject to the company maintaining its system to the required standard)	03 <sup>rd</sup> February 2019

*Daniel*  
Authorised Signatory



This certificate is the property of UK Certification & Inspection Limited and shall be returned immediately on request.  
5 Jupiter House, Calvea Park, Aldermaston, Reading Berkshire RG7 8NN, UK  
Website: [www.ukcertification.co.uk](http://www.ukcertification.co.uk)



## Certificate of Compliance

RoHS Directive (2002/95/EC) of the European Parliament and of the Council on the restriction of use of certain Hazardous Substances in Electrical and Electronic Equipments.

**Certificate No. : UQ-4636**

**Manufacturer**  
**Name** : GEO GROUP  
**Address** : 2nd Floor, Above Acme Properties, 183 Savitri Nagar,  
 Near Shiv Mandir, New Delhi-110017  
**Product** : All Anti-Radiation and Electromagnetic Energy  
 Products & Devices.  
**Models** : AIKYA, EASE, SANTIA, HUTA, GEO-ENGINEERS

This is to state that the above mentioned product is in compliance with RoHS Directive (2002/95/EC) of the European Parliament and Commission Decision 2005/618/EC on the restriction of use of certain Hazardous Substances (Lead (Pb), Mercury (Hg), Cadmium (Cd), Hexavalent Chromium (Cr<sup>6+</sup>), Polychlorinated biphenyls (PCBs) and Polybrominated Diphenyl ethers (PBDEs)) in Electrical and Electronic Equipments.

**Statement:**  
 This certificate declares that the product type / model described above complies with the mentioned above European Standard(s).

**Remarks:**  
 This certificate of compliance is based on the evaluation of a sample of the above mentioned products. It does not imply an assessment of the mass-production of the product. This certificate holder may use this certificate in connection with the test report. The certification body should be informed (revision of technical file) for any modification or alterations made to the aforementioned product type(s), including design and manufacture and for extension to the existing scope of application.

The certificate is valid for three years if the company applies the technical construction file which has been stored in UKcert office. This certificate includes declaration of manufacturer. Certificate remains property of UKcert (UK Certification and Inspection Ltd.) to whom it must be returned upon request. The certificate validity is conditioned by positive results of surveillance audits.

Validity of this certificate can be verified at [www.ukcertifications.co.uk/verify](http://www.ukcertifications.co.uk/verify)

Date of initial registration	04 <sup>th</sup> February 2016
Date of this certificate	04 <sup>th</sup> February 2016
Certificate expiry	03 <sup>rd</sup> February 2017
Recertification due (subject to the company maintaining its system to the required standard)	03 <sup>rd</sup> February 2019

*Daniel ..*  
 Authorised Signatory



## Certificate of Compliance



We hereby declare that the technical file of product complied with the requirement of directive 2014/30/EU Electromagnetic Compatibility.

**Certificate No. : CE-2058**

**Manufacturer**  
**Name** : GEO GROUP  
**Address** : 2nd Floor, Above Acme Properties, 183 Savitri Nagar,  
 Near Shiv Mandir, New Delhi-110017, India  
**Products**  
**Name** : All Anti-Radiation and Electromagnetic Energy  
 Products & Devices.  
**Model / Brand** : AIKYA, EASE, SANTIA, HUTA, GEO-ENGINEERS.

The Certification body has performed an audit of the above product quality system covering the design, manufacture and final inspection of the certified product. The quality system has been assessed, approved and is subject to continuous surveillance according to Directive 2014/30/EU Electromagnetic Compatibility.

**This certificate is issued under the following conditions:**

1. It applies only to the quality system maintained in the manufacture of above referenced models and it does not substitute the design or type-examination procedures, if requested.
2. The certificate remains valid until the manufacturing conditions or the quality systems are changed.
3. The certificate validity is conditioned by positive results or surveillance audits.
4. The CE mark as shown above can be used, under the responsibility of the manufacturer, after completion of an EC Declaration of conformity and compliance with all relevant EC Directives. The statement is based on a single evaluation of one sample of above mentioned product. It does not imply an assessment of the whole production.

Validity of this certificate can be verified at [www.ukcertifications.co.uk/verify](http://www.ukcertifications.co.uk/verify)

Date of initial registration	04 <sup>th</sup> February 2016
Date of this certificate	04 <sup>th</sup> February 2016
Certificate expiry	03 <sup>rd</sup> February 2017
Recertification due (subject to the company maintaining its system to the required standard)	03 <sup>rd</sup> February 2019

*Daniel ..*  
 Authorised Signatory



# Client List

- India - Indian Oil India
- India- Gas Authority
- India - Hindustan Petroleum
- India- Patanjali Manufacture
- India - CM Offices -Homes
- India - PMO Offices -Homes
- India - Aligarh University
- India- Agriculture Department of India
- India - Crime Investigation Department
- India - Society of Architect
- Dubai - Damac Independent Floors Private Clients
- Dubai - Shoba Developer - Independent Floors Private Clients
- Dubai - Dune Hotel Apartments
- Dubai/AUH - 60 + Villas Private Properties
- UAE -Private Clinics / Real Estate Offices
- UAE - Warehouses and Factories
- 

- Poland - American High School
- Poland - Indian Embassy
- Poland - Private Clients houses and Offices
- Germany - Health Care Institutes
- Germany - Main Company has done 4000 Clients
- London - Private Clients - Town Houses


## Conferences / Workshops

- UAE - Saudi German Hospital
- UAE - Aster Hospital UAE-
- Prime Hospital UAE - Dubai
- Silicon Authority UAE-
- Hamriyah Free Zones SHJ -
- Sky Line College SHJ -
- Manipal University SHJ -
- FANR ABU DHABI Dubai -TRA

<b>Geopathic Stress Deflection</b>	
Geopathic Rectification Rods 50 meter	<b>AED 2000-4000</b>
From Germany	Price in Euro
Radiation Shield Mat high strength (under bed model 29.5"x70.8")	753.2
Radiation Shield Mat standard strength (under bed model 29.5"x70.8")	690.2
Radiation Shield Building Mat for submersion within new floor	753.2
Exurine Geopathic Stress Mat - bed wetting (under bed model 29.5"x70.8")	753.2
Satellite for daytime rooms / offices	438.2
<b>Radiation Shielding / Building Materials</b>	
NOVA Shielding Fabric - against HF. Per 1m/3.28ft, 250cm/8.2ft wide. For curtains or bed hung	211.4
GPA Shielding mesh 50-meter roll (HF / LF for outer walls, roofs, floor or rendering)	1131.2
T98 Shielding Paint - 5 Ltr / 1.32 gallon	854
T98 Shielding Paint - 1 Ltr / 1.05 quart	198.8
Grounding Tape - 10m / 33ft	42
Remote control Circuit cut-off switch 220 Volt	277.2
HF field probe (introductory price)	3588.2
EM field probe	1509.2

<b>Cell Phone Shielding Pouch by Geovital</b>	
L: 3.1"x5.9" (8x15.5cm) or XL: 3.5"x6.3" (9x16cm)	68.6
XXL: 3.9"x6.3" (10x16cm)	74.2
<b>KOMBI Mattress – Orthopedic mattress customized to body</b>	
<b>CALIFORNIA.KING 183x213x24cm - 72in/84in</b>	7809.2
<b>KING 193x203x24cm - 76in/80in</b>	7557.2
<b>Queen 152x203x24cm - 60in/80in (not available)</b>	
<b>Double Extra Long 137x203x24cm - 54in/80in</b>	4911.2
<b>Double 137x191x24cm - 54in/75in</b>	4785.2
<b>Twin XL 99x203x24cm - 39in/80in</b>	4029.2
<b>Twin 99x191x24cm - 39in/75in</b>	3903.2
<b>Theravital – Stretch-effect mattress</b>	
<b>GRAND KING 203x249x20cm - 80in/98in</b>	6045.2
<b>CALIFORNIA.KING 183x213x20cm - 72in/84in</b>	5415.2
<b>KING 193x203x20cm - 76in/80in</b>	5352.2
<b>Queen 152x203x20cm - 60in/80in</b>	4659.2
<b>Double Extra Long 137x203x20cm - 54in/80in</b>	4155.2
<b>Double 137x191x20cm - 54in/75in</b>	3840
<b>Twin XL 99x203x20cm - 39in/80in</b>	3399.2
<b>Twin 99x191x20cm - 39in/75in</b>	3273.2
<b>Vitallind – Anti allergic antistatic health mattress (health resorts, youth)</b>	
<b>KING 193x203x16cm - 76in/80in</b>	
<b>Queen 152x203x16cm - 60in/80in</b>	3777.2
<b>Double Extra Long 137x203x16cm - 54in/80in Double 137x191x16cm - 54in/75in</b>	3147.2
<b>Twin XL 99x203x16cm - 39in/80in</b>	2202.2
<b>Twin 99x191x16cm - 39in/75in</b>	2076.2
<b>Cot Mattress for Babies</b>	
Pillow – Massage model designed for the 'side-sleeper' (- €20 is ordered with mattress!)	211.4
Pillow – Neck Therapy all-rounder (- €20 is ordered with mattress!)	198.8
Coolmade pillow cover – Fitted to Massage OR Therapy pillow	49

# OUR CLIENTS





# THANK YOU



 [info@spujah.com](mailto:info@spujah.com)

 +971 58 556 5111 | +971 56 259 0990

 [life-balance.ae](http://life-balance.ae) | [spujah.com](http://spujah.com) | [balance1studio.com](http://balance1studio.com)